

# WhaleTeq DFS400 Changelog

---

## Version 1.0.5.2 - 2024-05-24

---

1. FIX: DFS360 license issue

## Version 1.0.5.1 - 2024-04-26

---

1. FIX: DFS360 check pulse over range

## Version 1.0.5.0 - 2024-04-12

---

1. NEW: DFS360 support play data
2. CHG: DFS360 SDK merge into DFS400

## Version 1.0.4.5 - 2024-02-16

---

1. FIX: DFS400 play data start/stop quickly will let play data freeze

## Version 1.0.4.4 - 2023-12-28

---

1. FIX: Only DFS400 support play data

## Version 1.0.4.3 - 2023-12-07

---

1. NEW: support play data

## Version 1.0.3.15 - 2023-10-31

---

1. FIX: auto sequence buttons enable behavior

## Version 1.0.3.13 - 2023-10-27

---

1. CHG: NSR frequency increment to 0.1

## Version 1.0.3.12 - 2023-10-26

---

1. FIX: NSR when BPM higher than 300 show wrong waveform at AP for DFS360

## **Version 1.0.3.11 - 2023-10-26**

---

1. FIX: auto sequence click next button sometime ECG will not show at AP for DFS360

## **Version 1.0.3.10 - 2023-10-24**

---

1. FIX: auto sequence click next button sometime ECG will not show at AP
2. FIX: NSR when BPM higher than 300 show wrong waveform at AP

## **Version 1.0.3.9 - 2023-10-06**

---

1. CHG: shock record time synchronize with FW
2. FIX: CPR cycle duration text

## **Version 1.0.3.8 - 2023-09-27**

---

1. CHG: DFS360 also support larger range for NSR BPM

### **Note:**

1. only compatible with FW version 0.42 (DFS360) and later

## **Version 1.0.3.6 - 2023-08-24**

---

1. FIX: ECG page didn't show test result

## **Version 1.0.3.5 - 2023-08-22**

---

1. FIX: auto sequence will stop

## **Version 1.0.3.4 - 2023-08-16**

---

1. FIX: auto seq switch to next item will show previous result for a short while
2. FIX: waiting mode receive shock need to recount
3. FIX: disconnect need to enable all control

## **Version 1.0.3.3 - 2023-08-11**

---

1. FIX: auto sequence will stop when turn on loop

## **Version 1.0.3.2 - 2023.08-10**

---

1. FIX: performace waveform didn't output

## **Version 1.0.3.1 - 2023-08-09**

---

1. NEW: auto sequence will not stop ECG when in waiting mode
2. NEW: ECG page receive shock need to wait at least 15 seconds
3. NEW: set CPR cycle duration

## **Version 1.0.3.0 - 2023-06-02**

---

1. CHG: get pulse buffer size by command

### **Note:**

1. only compatible with FW version 0.42.X(DFS400) and later

## **Version 1.0.2.8 - 2023-05-26**

---

1. CHG: get/clear energy computed flag by command

## **Version 1.0.2.7 - 2023-04-10**

---

1. FIX: Main form graph zoom in range limit

## **Version 1.0.2.6 - 2023-03-31**

---

1. CHG: ECG update graph 10 times per second to 20 times per second

## **Version 1.0.2.5 - 2023-03-30**

---

1. CHG: can't set parameters when ECG is playing
2. FIX: load waveform list clear when remove all waveform in device

## **Version 1.0.2.4 - 2023-03-28**

---

1. FIX: switch load radio button fast will sleep 1 second

## **Version 1.0.2.3 - 2023-03-28**

---

1. FIX: load radio button tab order

## **Version 1.0.2.2 - 2023-03-22**

---

1. FIX: ECG page didn't clean previous result

## **Version 1.0.2.1 - 2023-03-17**

---

1. NEW: auto sequence default list
2. FIX: 0.xx Joule only show .xx Joule
3. NEW: load waveform editor form add whaleTeq format button

## **Version 1.0.1.20 - 2023-03-02**

---

1. FIX: recall wrong time/slope/tilt displayed

## **Version 1.0.1.19 - 2023-02-23**

---

1. FIX: barcode reader license check for different languages

## **Version 1.0.1.18 - 2023-02-21**

---

1. CHG: load waveform pattern name use load file name
2. NEW: load waveform help message box
3. FIX: barcode reader license behavior
4. FIX: disconnect device can still play ECG waveform

## **Version 1.0.1.17 - 2023-02-20**

---

1. FIX: check barcode reader license

## **Version 1.0.1.16 - 2023-02-14**

---

1. FIX: check usage when edit user-defined waveform list

## **Version 1.0.1.15 - 2023-02-13**

---

1. FIX: user-defined disable after stopping ECG

## **Version 1.0.1.14 - 2023-02-13**

---

1. NEW: can play single ECG

2. CHG: move user-defined ECG to main form

**Note:**

1. only compatible with FW version 0.40.1(DFS400)/0.40(DFS360) and later

## **Version 1.0.1.13 - 2023-02-01**

---

1. FIX: unknow waveform type will crash
2. FIX: MTE waveform over 175 ohm flip wrong direction

## **Version 1.0.1.12 - 2023-01-31**

---

1. CHG: pulse analysis for RBW
2. FIX: high cpu usage when edit auto list
3. CHG: RBW waveform needs to be flipped

## **Version 1.0.1.11 - 2023-01-18**

---

1. FIX: keep zooming in analysis graph will crash
2. CHG: DFS360 pass criteria only can change 50  $\Omega$

## **Version 1.0.1.10 - 2023-01-11**

---

1. FIX: FW update sometime will fail

## **Version 1.0.1.9 - 2022-12-29**

---

1. FIX: FW update connect device fail
2. FIX: output ECG graph will not play smoothly

## **Version 1.0.1.8 - 2022-12-27**

---

1. FIX: check box load fixed modify position when form size changed
2. FIX: shock waveform help image need to reset when recall form closed

## **Version 1.0.1.7 - 2022-12-26**

---

1. FIX: analysis ROI bar sometime can't move separately
2. FIX: not stop when auto list last one is not support ECG
3. FIX: switching 100 and 400 connect issue

## Version 1.0.1.6 - 2022-12-22

---

1. FIX: AP can play ECG when nothing connect

## Version 1.0.1.5 - 2022-12-19

---

1. NEW: fixed load or set separately
2. FIX: manual key-in check spacial characters
3. FIX: analysis not align graphs when click in ROI mode
4. NEW: recall double click will show raw data location in explorer

## Version 1.0.1.4 - 2022-12-15

---

1. NEW: R & R Analysis select 1 data in waveform and joule

## Version 1.0.1.3 - 2022-12-15

---

1. FIX: loop didn't work
2. FIX: live update for DFS360

## Version 1.0.1.2 - 2022-12-14

---

1. FIX: user define <> save to file error

## Version 1.0.1.0 - 2022-12-09

---

1. NEW: can connect DFS360/DFS400
2. NEW: support live update
3. CHG: energy ratio change to charge ratio
4. FIX: NSR frequency and amplitude do not change
5. FIX: R&R analysis can set vol/amp by mainform graph setup
6. CHG: support .csv and .json file for recall and R&R analysis features

## Version 1.0.0.8 - 2022-11-07

---

1. FIX: remove get NSR/waveform parameter API
2. FIX: separate set waveform parameters to amplitude/frequency

## Version 1.0.0.7 - 2022-11-04

---

1. CHG: remove user define ECG license

## **Version 1.0.0.6 - 2022-11-03**

---

1. FIX: auto list has user define open AP without connection will crash

## **Version 1.0.0.5 - 2022-11-02**

---

1. FIX: output ECG amplitude and frequency didn't change
2. NEW: recall show pass/fail and its range

## **Version 1.0.0.4 - 2022-11-02**

---

1. CHG: move file naming and language into Options...
2. CHG: set/get NSR/waveform parameter by command
3. NEW: passing range add sync checkbox

## **Version 1.0.0.3 - 2022-10-31**

---

1. NEW: pass criteria
2. NEW: recall feature
3. NEW: analysis add ECG played column

## **Version 1.0.0.2 - 2022-10-25**

---

1. CHG: update UI
2. NEW: support demo mode

## **Version 1.0.0.1 - 2022-10-21**

---

1. initial version